Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6330556" "5675790").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 17:17
L2	1	"20010049818".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 17:17
L3	707	(hot cold frequenc$3 count$3 sum increment$3 decrement$3 buffer) near10 cach$3 near10 (partition$3 separat$3 divid$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L4	72	"5129088".URPN.	USPAT	OR	ON	2004/11/09 18:47
L5	3	("20010013087" "6351844" "6330556").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L6	3597	717/127-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L7	9649	(increas$3 expand$3 enlarg$3 allocat$3) near10 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L8	7932	(increas$3 expand$3 enlarg$3 allocat$3) near5 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L9	7018	(increas$3 expand$3 enlarg$3) near10 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L10	5393	(increas$3 expand$3 enlarg$3) near5 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L11	7483	(increas$3 expand$3 enlarg$3 replac$3) near5 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L12	0	remov$3 near5 from near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47

L13	1993	remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L14	26	(cache and (hot and cold) and counter and swap and threshold) and @pd>"2004"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L15	0	@pd<"2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L16	14194809	@py<"2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L17	1110	(remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L18	38894	"700"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L19	328377	("345"/$ "380"/$ "700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L20	136	(("345"/$ "380"/$ "700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.) and ((remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L21	264753	("700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L22	125	(("700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.) and ((remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47

L23	157656	("709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$). ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L24	113	((remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001") and (("709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L25	1	"5675790".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L26	2	("20010013087" "6330556").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L27	565	cache and (hot and cold)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L28	32	cache with hot with cold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L29	4	(hot and cold) near10 cach$3 near10 (partition$3 separat$3 divid$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L30	20	(hot cold) near10 cach$3 near10 (partition$3 separat$3 divid$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L31	82	dynamic$4 near10 cache$3 near10 partition$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L32	27	cach$3 near5 local$3 near5 frequenc$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L33	7	("4300192" | "4471457" | "4843541" | "5117350" | "5129088" | "5317706" | "5325526").PN.	USPAT	OR	ON	2004/11/09 18:47
L34	26	cache and (hot and cold) and counter and swap and threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47

L35	14	(cache and (hot and cold) and counter and swap and threshold) and expand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L36	16	(increas$3 expand$3 enlarg$3) near5 (hot near5 cach$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L37	1	"20010049818".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
L38	6	("6330556" "6189141" "6493800" "5588138" "5247660" "5675790").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/09 18:47
S1	607	(hot cold frequenc$3 count$3 sum increment$3 decrement$3 buffer) near10 cach$3 near10 (partition$3 separat$3 divid$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/03 13:15
S2	57	"5129088".URPN.	USPAT	OR	ON	2003/12/08 13:57
S3	3	("20010013087" "6351844" "6330556").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/10 09:51
S4	2757	717/127-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/10 12:37
S5	7987	(increas$3 expand$3 enlarg$3 allocat$3) near10 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:09
S6	6581	(increas$3 expand$3 enlarg$3 allocat$3) near5 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:09
S7	5860	(increas$3 expand$3 enlarg$3) near10 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:10
S8	4526	(increas$3 expand$3 enlarg$3) near5 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:14
S9	6279	(increas$3 expand$3 enlarg$3 replac$3) near5 cach$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:12

S10	0	remov$3 near5 from near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:28
S11	1738	remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 08:47
S12	20	(cache and (hot and cold) and counter and swap and threshold) and @pd>"2004"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:07
S13	0	@pd<"2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:07
S14	14187150	@py<"2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:08
S15	1109	(remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:39
S16	35673	"700"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:34
S17	285931	("345"/$ "380"/$ "700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:47
S18	139	(("345"/$ "380"/$ "700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.) and ((remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:39
S19	221915	("700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:51

S20	124	(("700"/$ "703"/$ "705"/$ "706"/$ "707"/$ "708"/$ "709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.) and ((remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:48
S21	128109	("709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:51
S22	113	((remov$3 near5 (expan$4 allocat$3 enlarg$3) near5 (area locat$3 place memory cache storage space)) and @py<"2001") and (("709"/$ "710"/$ "711"/$ "712"/$ "713"/$ "714"/$ "715"/$ "717"/$).ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 10:58
S23	1	"5675790".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 12:58
S24	2	("20010013087" "6330556").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/12 13:00
S25	496	cache and (hot and cold)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:35
S26	29	cache with hot with cold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:35
S27	4	(hot and cold) near10 cach$3 near10 (partition$3 separat$3 divid$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:35
S28	17	(hot cold) near10 cach$3 near10 (partition$3 separat$3 divid$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:35
S29	68	dynamic$4 near10 cache$3 near10 partition$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:35
S30	24	cach$3 near5 local$3 near5 frequenc$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:35

S31	7	("4300192" | "4471457" | "4843541" | "5117350" | "5129088" | "5317706" | "5325526").PN.	USPAT	OR	ON	2004/04/19 15:35
S32	22	cache and (hot and cold) and counter and swap and threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:36
S33	12	(cache and (hot and cold) and counter and swap and threshold) and expand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:36
S34	13	(increas$3 expand$3 enlarg$3) near5 (hot near5 cach$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/04/19 15:36
S35	1	"20010049818".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/03 13:16
S36	6	("6330556" "6189141" "6493800" "5588138" "5247660" "5675790"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/03 14:13